

KellMed

Sterile Packed Disposables for Orthopaedic and Trauma Theatres

• Drill Bits • K Wires • Steinmann Pins • Guide wires • Taps

Product List 2016

KellMed Ltd

Retro House
Parkway Farm Business Park
Poundbury, Dorchester
Dorset DT1 3AR

Tel: 01305 751821
Fax: 01305 268920

office@kellmed.co.uk
www.kellmed.co.uk

Contents

DRILL BITS

Drill bits with AO-type connection	3
Drill bits with plain shank	4

WIRES & PINS

K wires, single trocar	5
K wires, double trocar	7
Custom made K wires	9
Steinmann pins	10
Guide wires, single trocar with threaded tip	11

BONE TAPS	12
------------------------	-----------

Drill bits with AO-type connection



- CE marked and manufactured to international standards
- Individually packed in tough Tyvek® backed polyethylene pouches
- Sterile with a shelf life of five years
- Supplied with three traceability labels on outer pouch of each item
- Available in other sizes and fittings, please let us know your requirements

Description	Product Code
1.1mm x 60mm drill bit, quick fit, sterile	912.060s
1.5mm x 85mm drill bit, quick fit, sterile	913.085s
1.8mm x 100mm drill bit, quick fit, sterile	920.100s
2.0mm x 100mm drill bit, quick fit, sterile	914.100s
2.0mm x 125mm drill bit, quick fit, sterile	914.125s
2.4mm x 100mm drill bit, quick fit, sterile	921.100s
2.5mm x 110mm drill bit, quick fit, sterile	915.110s
2.5mm x 125mm drill bit, quick fit, sterile	915.125s
2.7mm x 100mm drill bit, quick fit, sterile	916.100s
2.7mm x 125mm drill bit, quick fit, sterile	916.125s
3.2mm x 125mm drill bit, quick fit, sterile	917.125s
3.2mm x 145mm drill bit, quick fit, sterile	917.145s
3.2mm x 195mm drill bit, quick fit, sterile	917.195s
3.5mm x 110mm drill bit, quick fit, sterile	918.110s
3.5mm x 145mm drill bit, quick fit, sterile	918.145s
3.5mm x 195mm drill bit, quick fit, sterile	918.195s
4.5mm x 145mm drill bit, quick fit, sterile	919.145s
4.5mm x 195mm drill bit, quick fit, sterile	919.195s

Drill bits with plain shank



- CE marked and manufactured to international standards
- Individually packed in tough Tyvek® backed polyethylene pouches
- Sterile with a shelf life of five years
- Supplied with three traceability labels on outer pouch of each item
- Available in other sizes and fittings, please let us know your requirements

Description	Product Code
1.1mm x 45mm drill bit, plain shank, sterile	930.045s
2.0mm x 85mm drill bit, plain shank, sterile	932.085s
1.5mm x 45mm drill bit, plain shank, sterile	931.070s
2.5mm x 95mm drill bit, plain shank, sterile	933.095s
2.7mm x 100mm drill bit, plain shank, sterile	934.100s
2.7mm x 85mm drill bit, plain shank, sterile	934.085s
3.2mm x 106mm drill bit, plain shank, sterile	935.106s
3.2mm x 130mm drill bit, plain shank, sterile	935.130s
3.5mm x 180mm drill bit, plain shank, sterile	936.180s
4.0mm x 120mm drill bit, plain shank, sterile	939.120s
3.5mm x 112mm drill bit, plain shank, sterile	936.112s
4.0mm x 180mm drill bit, plain shank, sterile	939.180s
4.0mm x 120mm drill bit, plain shank, sterile	939.120s
4.5mm x 180mm drill bit, plain shank, sterile	937.180s
6.5mm x 150mm drill bit, plain shank, sterile	938.150s

K Wires - Single Trocar



The single trocar K Wires on this list are the most popular sizes in our range. They are all held in stock ready for rapid shipment to your stores. If you don't see what you need on this list, let us know, we may well have it in stock. If not, we will be happy to manufacture wires to your specification, and to hold stock to meet your future requirements. All our wires are:

- CE marked and manufactured to international standards
- Individually packed in tough Tyvek® backed polyethylene pouches
- Sterile with a shelf life of five years
- Supplied with three traceability labels per wire

Description	Product Code
0.8mm diameter	
0.8mm x 80mm K wire, single trocar, sterile	319.080s
0.8mm x 150mm K wire, single trocar, sterile	319.050s
0.9mm diameter	
0.9mm x 150mm K wire, single trocar, sterile	362.150s
0.9mm x 125mm K wire, single trocar, sterile	362.125s
1.0mm diameter	
1.0mm x 100mm K wire, single trocar, sterile	320.100s
1.0mm x 150mm K wire, single trocar, sterile	320.150s
1.0mm x 200mm K wire, single trocar, sterile	320.200s
1.1mm diameter	
1.1mm x 150mm K wire, single trocar, sterile	363.150s
1.1mm x 200mm K wire, single trocar, sterile	363.200s
1.2mm diameter	
1.2mm x 150mm K wire, single trocar, sterile	321.150s
1.2mm x 305mm K wire, single trocar, sterile	321.305s
1.25mm diameter	
1.25mm x 150mm K wire, single trocar, sterile	346.150s
1.25mm x 150mm K wire, single trocar, threaded tip, sterile	347.150s
1.4mm diameter	
1.4mm x 150mm K wire, single trocar, sterile	322.150s

K Wires - Single Trocar Cont'd...

1.5mm diameter	Product Code
1.5mm x 150mm K wire, single trocar, sterile	364.150s
1.5mm x 200mm K wire, single trocar, sterile	364.200s
1.6mm diameter	
1.6mm x 150mm K wire, single trocar, sterile	323.150s
1.6mm x 150mm K wire, single trocar, threaded tip, sterile	348.150s
1.6mm x 200mm K wire, single trocar, sterile	323.200s
1.8mm diameter	
1.8m x 150mm K wire, single trocar, sterile	325.150s
2.0mm diameter	
2.0mm x 75mm K wire, single trocar, sterile	324.075s
2.0mm x 150mm K wire, single trocar, sterile	324.150s
2.0mm x 200mm K wire, single trocar, sterile	324.200s
2.5mm diameter	
2.5mm x 230mm K wire, single trocar, threaded tip, sterile	353.230s
2.5mm x 260mm K wire, single trocar, threaded tip, sterile	353.260s

K Wires – Double Trocar



The double trocar K Wires on this list are the most popular sizes in our range. They are all held in stock ready for rapid shipment to your stores. If you don't see what you need on this list, let us know, we may have it in stock. If not, we will be happy to manufacture wires to your specification, and to hold stock to meet your future requirements. All our wires are:


- CE marked and manufactured to international standards
- Individually packed in tough Tyvek® backed polyethylene pouches
- Sterile with a shelf life of five years
- Supplied with three traceability labels per wire

Description	Product Code
0.8mm diameter	
0.8mm x 150mm K wire, double trocar, sterile	338.150s
0.9mm diameter	
0.9mm x 75mm K wire, double trocar, sterile	370.075s
0.9mm x 100mm K wire, double trocar, sterile	370.100s
0.9mm x 125mm K wire, double trocar, sterile	370.125s
0.9mm x 150mm K wire, double trocar, sterile	370.150s
1.0mm diameter	
1.0mm x 125mm K wire, double trocar, sterile	339.125s
1.0mm x 150mm K wire, double trocar, sterile	339.150s
1.1mm diameter	
1.1mm x 75mm, K wire, double trocar, sterile	371.075s
1.1mm x 100mm, K wire, double trocar, sterile	371.100s
1.1mm x 125mm, K wire, double trocar, sterile	371.125s
1.1mm x 150mm, K wire, double trocar, sterile	371.150s
1.2mm diameter	
1.2mm x 100mm K wire, double trocar, sterile	340.100s
1.2mm x 150mm, K wire, double trocar, sterile	340.150s
1.2mm x 200mm K wire, double trocar, sterile	340.200s
1.2mm x 230mm K wire, double trocar, sterile	340.230s
1.25mm diameter	
1.25mm x 150mm, K wire, double trocar, sterile	345.150s

K Wires – Double Trocar Cont'd...

1.4mm diameter	
1.4mm x 100mm, K wire, double trocar, sterile	341.100s
1.4mm x 150mm, K wire, double trocar, sterile	341.150s
1.5mm diameter	
1.5mm x 150mm, K wire, double trocar, sterile	372.150s
1.5mm x 300mm, K wire, double trocar, sterile	372.300s
1.6mm diameter	
1.6mm x 75mm, K wire, double trocar, sterile	342.075s
1.6mm x 100mm, K wire, double trocar, sterile	342.100s
1.6mm x 125mm, K wire, double trocar, sterile	342.125s
1.6mm x 150mm, K wire, double trocar, sterile	342.150s
1.6mm x 200mm, K wire, double trocar, sterile	342.200s
1.8mm diameter	
1.8mm x 150mm, K wire, double trocar, sterile	343.150s
2.0mm diameter	
2.0mm x 125mm K wire, double trocar, sterile	344.125s
2.0mm x 150mm, K wire, double trocar, sterile	344.150s
2.0mm x 200mm K wire, double trocar, sterile	344.200s

K Wires – Custom Made



Order wires to any length:

- Add the length (mm) to the main code given in the grid below.
- For example, all types of 0.9mm K wire, single trocar, sterile have the code 362.XXXs. Therefore:

- ◆ 0.9mm K wire, single trocar, length 50mm, sterile..... 362.050s
- ◆ 0.9mm K wire, single trocar, length 150mm, sterile..... 362.150s

All custom made sterile packed wires are:

- Individually packed in tough Tyvek® backed polyethylene pouches
- Sterile with a shelf life of five years
- Supplied with three traceability labels per wire
- Available in 6-8 weeks from initial order, after which we will maintain stock ready for rapid delivery

Description	Single trocar	Double trocar
0.9mm K wire, sterile	362.XXXs	370.XXXs
1.0mm K wire, sterile	320.XXXs	339.XXXs
1.1mm K wire, sterile	363.XXXs	371.XXXs
1.2mm K wire, sterile	321.XXXs	340.XXXs
1.25mm K wire, sterile	346.XXXs	345.XXXs
1.4mm K wire, sterile	322.XXXs	341.XXXs
1.5mm K wire, sterile	364.XXXs	372.XXXs
1.6mm K wire, sterile	323.XXXs	342.XXXs
1.8mm K wire, sterile	325.XXXs	343.XXXs
2.0mm K wire, sterile	324.XXXs	344.XXXs
2.5mm K wire, sterile	335.XXXs	337.XXXs

Steinmann Pins



The Steinmann Pins on this list are the most popular sizes in our range. If you don't see what you need on this list, let us know, we may have it in stock. If not, we will be happy to manufacture to your specification.

All our pins are:

- CE marked and manufactured to international standards
- Individually packed in tough Tyvek® backed polyethylene pouches
- Sterile with a shelf life of five years
- Supplied with three traceability labels

Description	Product Code
Steinmann pins, trocar/triangle	
3.5mm x 200mm Steinmann pin, trocar/ triangle, sterile	313.200s
4.0mm x 200mm Steinmann pin, trocar/ triangle, sterile	306.200s
4.0mm x 175mm Steinmann pin, trocar/ triangle, sterile	306.175s
4.0mm x 225mm Steinmann pin, trocar/ triangle, sterile	306.225s
4.0mm x 254mm Steinmann pin, trocar/ triangle, sterile	306.254s
4.8mm x 175mm Steinmann pin, trocar/ triangle, sterile	305.175s
Steinmann pins, trocar/triangle, fully threaded	
2.4mm x 230mm Steinmann Pin, trocar/ triangle, fully threaded, sterile	317.230s
2.8mm x 230mm Steinmann Pin, trocar/ triangle, fully threaded, sterile	318.230s
2.0mm x 230mm Steinmann Pin, trocar/ triangle, fully threaded, sterile	381.230s
2.5mm x 230mm Steinmann Pin, trocar/triangle, fully threaded, sterile	382.230s
3.0mm x 230mm Steinmann Pin, trocar/ triangle, fully threaded, sterile	383.230s

Guide Wires, Single Trocar with Threaded Tip




The Guide Wires on this list are the most popular sizes in our range. They are all held in stock ready for rapid shipment to your stores. If you don't see what you need on this list, let us know, we may have it in stock. If not, we will be happy to manufacture wires to your specification, and to hold stock to meet your future requirements. All our guide wires are:

- CE marked and manufactured to international standards
- Individually packed in tough Tyvek® backed polyethylene pouches
- Sterile with a shelf life of five years
- Supplied with three traceability labels per wire

Description	Product Code
1.4mm x 150mm guide wire, single trocar with threaded tip, sterile	375.150s
1.6mm x 150mm guide wire, single trocar with threaded tip, sterile	348.150s
2.0mm x 150mm guide wire, single trocar with threaded tip, sterile	359.150s
2.0mm x 230mm guide wire, single trocar with threaded tip, sterile	359.230s
2.5mm x 230mm guide wire, single trocar with threaded tip, sterile	353.230s
3.2mm x 300mm guide wire, single trocar with threaded tip, sterile	376.300s
3.2mm x 400mm guide wire, single trocar, threaded tip, sterile	376.400s

Bone Taps



All taps are:

- CE marked and manufactured to international standards
- Individually packed in tough Tyvek® backed polyethylene pouches
- Sterile with a shelf life of five years
- Supplied with three traceability labels per tap

Description	Ref
1.50mm x 50mm cortical tap, quick fit	947.050s
2.7mm x 125mm cortical tap, quick fit	940.125s
3.5mm x 110mm cortical tap, quick fit	941.110s
4.5mm x 125mm cortical tap, quick fit	942.125s
4.0mm x 110mm cancellous tap, quick fit	945.110s

KellMed Ltd

Retro House
Parkway Farm Business Park
Poundbury, Dorchester
Dorset DT1 3AR

Tel: 01305 751821
Fax: 01305 268920

office@kellmed.co.uk
www.kellmed.co.uk

Orders received before 12pm are despatched by courier on a next day delivery basis, stock allowing.

Carriage charges are £8.00 for all orders under £250

Orders of £250 and over receive free carriage